Application: gvSIG desktop - gvSIG bugs #1365 Does not persist the prefix of the first table after a Join of two tables

11/08/2012 02:03 PM - Vicent Domenech

Status:	Closed	% Done:	0%	
Priority:	Urgent	Spent time:	0.00 hour	
Assignee:	Juan Lucas Domínguez			
Category:	Document table			
Target version:	2.0.0-rc1			
Severity:		Add-on version:		
gvSIG version:	2.0.0	Add-on build:	Add-on build:	
gvSIG build:	2057	Add-on resolve v	Add-on resolve version:	
Operative System:	Linux	Add-on resolve b	Add-on resolve build:	
Keywords:		Proyecto:		
Has patch:	No	Hito:		
Add-on name:	Unknown			
Description				
Open gvSIG				
New table				
Add table rrline.dbf (ht	<u>tp://downloads.gvsig.org/download/ge</u>	eodata/tables/DBF/rrline.db	<u>f.zip</u>)	
Add table rrline_filipina	as.dbf (<u>http://downloads.gvsig.org/dov</u>	vnload/geodata/tables/DBF	/rrline_filipinas.dbf.zip)	
Table, create join				
Choose a data store a	s "rrline.dbf" and click Next			
Choose the second da	ta store as "rrline_filifinas.dbf and clic	ck Next		
Choose as key of first table "rrIntype.shp", the key of second table "rrIntype.shp", type of prefix for the first table: 1, type of prefix for				
the second table: 2 an	d "userld" as the attribute to join. Nex	t and finish.		
Now we see the fields	of rrline.dbf with the prefix 1 and the	fields of rrline_filipinas with	the prefix 2 on the new rrline.dbf	
Save the project				
Close gvSIG				
Open gvSIG				
Load last gvSIG project	ct			
Check the prefix of rrlr	type.dbf (1) does not persist			

History

#1 - 11/12/2012 12:40 PM - Juan Lucas Domínguez

- Assignee set to Juan Lucas Domínguez

#2 - 11/12/2012 12:43 PM - Juan Lucas Domínguez

- Status changed from New to Fixed

Fixed load-from-state method (persistence).

gvsig-desktop:r39213

Test: the steps described should now work.

#3 - 11/15/2012 09:43 AM - María Maluenda

- Status changed from Fixed to Closed

Closed in the gvSIG build 2058