

## gvSIG sensors - Bugs #1681

### Excepción al crear un chart con una tabla postgres y agrupar por categoría

03/21/2013 07:49 PM - José Vicente Higón

<b>Status:</b>	Fixed	<b>Start date:</b>	03/21/2013
<b>Priority:</b>	Normal	<b>Due date:</b>	
<b>Assignee:</b>	José Badía	<b>% Done:</b>	0%
<b>Category:</b>		<b>Estimated time:</b>	0.00 hour
<b>Target version:</b>		<b>Spent time:</b>	0.00 hour

#### Description

Al crear un chart de barras con una tabla postgres cargada con el tipo de documento "tabla" y seleccionar la agrupación opcional de elementos aparece la siguiente excepción

```
ERROR [AWT-EventQueue-1] (NotificationManager.java:107) - java.lang.IndexOutOfBoundsException: Index: 10, Size: 10
java.lang.IndexOutOfBoundsException: Index: 10, Size: 10
  at java.util.ArrayList.RangeCheck(Unknown Source)
  at java.util.ArrayList.get(Unknown Source)
  at org.gvsig.chart.impl.model.DefaultChartDataSet.replaceElement(DefaultChartDataSet.java:261)
  at org.gvsig.chart.impl.model.DefaultChartDataSet.sortDataByField(DefaultChartDataSet.java:213)
  at org.gvsig.chart.base.generic.AbstractXYChart.createCategoriesCollection(AbstractXYChart.java:158)
  at org.gvsig.chart.base.generic.AbstractXYChart.updateChartService(AbstractXYChart.java:271)
  at org.gvsig.chart.impl.AbstractChart.update(AbstractChart.java:309)
  at org.gvsig.chart.impl.overlay.OverlayChart.draw(OverlayChart.java:225)
  at org.gvsig.chart.swing.impl.DefaultViewChartPanel.paintComponent(DefaultViewChartPanel.java:170)
  at javax.swing.JComponent.paint(Unknown Source)
  at javax.swing.JComponent.paintToOffscreen(Unknown Source)
  at javax.swing.RepaintManager$PaintManager.paintDoubleBuffered(Unknown Source)
  at javax.swing.RepaintManager$PaintManager.paint(Unknown Source)
  at javax.swing.BufferStrategyPaintManager.paint(Unknown Source)
  at javax.swing.RepaintManager.paint(Unknown Source)
  at javax.swing.JComponent._paintImmediately(Unknown Source)
  at javax.swing.JComponent.paintImmediately(Unknown Source)
  at javax.swing.RepaintManager.paintDirtyRegions(Unknown Source)
  at javax.swing.RepaintManager.paintDirtyRegions(Unknown Source)
  at javax.swing.RepaintManager.seqPaintDirtyRegions(Unknown Source)
  at javax.swing.SystemEventQueueUtilities$ComponentWorkRequest.run(Unknown Source)
  at java.awt.event.InvocationEvent.dispatch(Unknown Source)
  at java.awt.EventQueue.dispatchEvent(Unknown Source)
  at org.gvsig.andami.ui.AndamiEventQueue.dispatchEvent(AndamiEventQueue.java:67)
  at java.awt.EventDispatchThread.pumpOneEventForFilters(Unknown Source)
  at java.awt.EventDispatchThread.pumpEventsForFilter(Unknown Source)
  at java.awt.EventDispatchThread.pumpEventsForFilter(Unknown Source)
  at java.awt.Dialog$1.run(Unknown Source)
  at java.awt.Dialog$3.run(Unknown Source)
  at java.security.AccessController.doPrivileged(Native Method)
  at java.awt.Dialog.show(Unknown Source)
  at java.awt.Component.show(Unknown Source)
  at java.awt.Component.setVisible(Unknown Source)
  at java.awt.Window.setVisible(Unknown Source)
  at java.awt.Dialog.setVisible(Unknown Source)
  at
  org.gvsig.app.project.documents.chart.gui.DefaultEditorChartServiceJDialog.<init>(DefaultEditorChartServiceJDialog.java:66)
```

```

at org.gvsig.app.project.documents.chart.gui.EditorChartServiceJDialog.showDialog(EditorChartServiceJDialog.java:11)
at
org.gvsig.app.project.documents.chart.gui.DefaultEditorGroupedChartIWindow.update(DefaultEditorGroupedChartIWindow.java:261)
a:261)
at
org.gvsig.chart.swing.impl.editors.DefaultEditorGroupedChartPanel.notifyObservers(DefaultEditorGroupedChartPanel.java:611)
)
at
org.gvsig.chart.swing.impl.editors.DefaultEditorGroupedChartPanel$5.actionPerformed(DefaultEditorGroupedChartPanel.java:412)
412)
at javax.swing.AbstractButton.fireActionPerformed(Unknown Source)
at javax.swing.AbstractButton$Handler.actionPerformed(Unknown Source)
at javax.swing.DefaultButtonModel.fireActionPerformed(Unknown Source)
at javax.swing.DefaultButtonModel.setPressed(Unknown Source)
at javax.swing.plaf.basic.BasicButtonListener.mouseReleased(Unknown Source)
at java.awt.Component.processMouseEvent(Unknown Source)
at javax.swing.JComponent.processMouseEvent(Unknown Source)
at java.awt.Component.processEvent(Unknown Source)
at java.awt.Container.processEvent(Unknown Source)
at java.awt.Component.dispatchEventImpl(Unknown Source)
at java.awt.Container.dispatchEventImpl(Unknown Source)
at java.awt.Component.dispatchEvent(Unknown Source)
at java.awt.LightweightDispatcher.retargetMouseEvent(Unknown Source)
at java.awt.LightweightDispatcher.processMouseEvent(Unknown Source)
at java.awt.LightweightDispatcher.dispatchEvent(Unknown Source)
at java.awt.Container.dispatchEventImpl(Unknown Source)
at java.awt.Component.dispatchEvent(Unknown Source)
at java.awt.EventQueue.dispatchEvent(Unknown Source)
at org.gvsig.andami.ui.AndamiEventQueue.dispatchEvent(AndamiEventQueue.java:67)
at java.awt.EventDispatchThread.pumpOneEventForFilters(Unknown Source)
at java.awt.EventDispatchThread.pumpEventsForFilter(Unknown Source)
at java.awt.EventDispatchThread.pumpEventsForFilter(Unknown Source)
at java.awt.Dialog$1.run(Unknown Source)
at java.awt.Dialog$3.run(Unknown Source)
at java.security.AccessController.doPrivileged(Native Method)
at java.awt.Dialog.show(Unknown Source)
at java.awt.Component.show(Unknown Source)
at java.awt.Component.setVisible(Unknown Source)
at java.awt.Window.setVisible(Unknown Source)
at java.awt.Dialog.setVisible(Unknown Source)
at org.gvsig.coreplugin.mdiManager.NewSkin.addJDialog(NewSkin.java:656)
at org.gvsig.coreplugin.mdiManager.NewSkin.addWindow(NewSkin.java:301)
at org.gvsig.app.project.documents.gui.ProjectWindow.propiedades(ProjectWindow.java:457)
at org.gvsig.app.project.documents.gui.ProjectWindow.access$500(ProjectWindow.java:83)
at org.gvsig.app.project.documents.gui.ProjectWindow$6.actionPerformed(ProjectWindow.java:719)
at javax.swing.AbstractButton.fireActionPerformed(Unknown Source)
at javax.swing.AbstractButton$Handler.actionPerformed(Unknown Source)
at javax.swing.DefaultButtonModel.fireActionPerformed(Unknown Source)
at javax.swing.DefaultButtonModel.setPressed(Unknown Source)
at javax.swing.plaf.basic.BasicButtonListener.mouseReleased(Unknown Source)
at java.awt.Component.processMouseEvent(Unknown Source)
at javax.swing.JComponent.processMouseEvent(Unknown Source)
at java.awt.Component.processEvent(Unknown Source)

```

```
at java.awt.Container.processEvent(Unknown Source)
at java.awt.Component.dispatchEventImpl(Unknown Source)
at java.awt.Container.dispatchEventImpl(Unknown Source)
at java.awt.Component.dispatchEvent(Unknown Source)
at java.awt.LightweightDispatcher.retargetMouseEvent(Unknown Source)
at java.awt.LightweightDispatcher.processMouseEvent(Unknown Source)
at java.awt.LightweightDispatcher.dispatchEvent(Unknown Source)
at java.awt.Container.dispatchEventImpl(Unknown Source)
at java.awt.Window.dispatchEventImpl(Unknown Source)
at java.awt.Component.dispatchEvent(Unknown Source)
at java.awt.EventQueue.dispatchEvent(Unknown Source)
at org.gvsig.andami.ui.AndamiEventQueue.dispatchEvent(AndamiEventQueue.java:67)
at java.awt.EventDispatchThread.pumpOneEventForFilters(Unknown Source)
at java.awt.EventDispatchThread.pumpEventsForFilter(Unknown Source)
at java.awt.EventDispatchThread.pumpEventsForHierarchy(Unknown Source)
at java.awt.EventDispatchThread.pumpEvents(Unknown Source)
at java.awt.EventDispatchThread.pumpEvents(Unknown Source)
at java.awt.EventDispatchThread.run(Unknown Source)
```

## History

#1 - 03/21/2013 08:07 PM - José Vicente Higón

También aparece la siguiente excepción:

```
ERROR [AWT-EventQueue-1] (NotificationManager.java:107) - java.lang.NullPointerException
java.lang.NullPointerException
at org.gvsig.chart.impl.model.DefaultChartDataSet.biggerThan(DefaultChartDataSet.java:228)
at org.gvsig.chart.impl.model.DefaultChartDataSet.sortDataByField(DefaultChartDataSet.java:212)
at org.gvsig.chart.base.generic.AbstractXYChart.createCategoriesCollection(AbstractXYChart.java:158)
at org.gvsig.chart.base.generic.AbstractXYChart.updateChartService(AbstractXYChart.java:271)
at org.gvsig.chart.impl.AbstractChart.update(AbstractChart.java:309)
at org.gvsig.chart.swing.impl.editors.panels.DefaultChartServiceDataPanel.listSeries(DefaultChartServiceDataPanel.java:292)
at org.gvsig.chart.swing.impl.editors.panels.DefaultChartServiceDataPanel$6.actionPerformed(DefaultChartServiceDataPanel.java:321)
at javax.swing.JComboBox.fireActionEvent(Unknown Source)
at javax.swing.JComboBox.setSelectedItem(Unknown Source)
at javax.swing.JComboBox.setSelectedIndex(Unknown Source)
at javax.swing.plaf.basic.BasicComboPopup$Handler.mouseReleased(Unknown Source)
at java.awt.AWTEventMulticaster.mouseReleased(Unknown Source)
at java.awt.Component.processMouseEvent(Unknown Source)
at javax.swing.JComponent.processMouseEvent(Unknown Source)
at javax.swing.plaf.basic.BasicComboPopup$1.processMouseEvent(Unknown Source)
at java.awt.Component.processEvent(Unknown Source)
at java.awt.Container.processEvent(Unknown Source)
at java.awt.Component.dispatchEventImpl(Unknown Source)
at java.awt.Container.dispatchEventImpl(Unknown Source)
at java.awt.Component.dispatchEvent(Unknown Source)
at java.awt.LightweightDispatcher.retargetMouseEvent(Unknown Source)
at java.awt.LightweightDispatcher.processMouseEvent(Unknown Source)
at java.awt.LightweightDispatcher.dispatchEvent(Unknown Source)
at java.awt.Container.dispatchEventImpl(Unknown Source)
```

at java.awt.Component.dispatchEvent(Unknown Source)  
at java.awt.EventQueue.dispatchEvent(Unknown Source)  
at org.gvsig.andami.ui.AndamiEventQueue.dispatchEvent(AndamiEventQueue.java:67)  
at java.awt.EventDispatchThread.pumpOneEventForFilters(Unknown Source)  
at java.awt.EventDispatchThread.pumpEventsForFilter(Unknown Source)  
at java.awt.EventDispatchThread.pumpEventsForFilter(Unknown Source)  
at java.awt.Dialog\$1.run(Unknown Source)  
at java.awt.Dialog\$3.run(Unknown Source)  
at java.security.AccessController.doPrivileged(Native Method)  
at java.awt.Dialog.show(Unknown Source)  
at java.awt.Component.show(Unknown Source)  
at java.awt.Component.setVisible(Unknown Source)  
at java.awt.Window.setVisible(Unknown Source)  
at java.awt.Dialog.setVisible(Unknown Source)  
at org.gvsig.app.project.documents.chart.gui.DefaultEditorChartServiceJDialog.<init>(DefaultEditorChartServiceJDialog.java:66)  
at org.gvsig.app.project.documents.chart.gui.EditorChartServiceJDialog.showDialog(EditorChartServiceJDialog.java:11)  
at org.gvsig.app.project.documents.chart.gui.DefaultEditorGroupedChartIWindow.update(DefaultEditorGroupedChartIWindow.java:246)  
at org.gvsig.chart.swing.impl.editors.DefaultEditorGroupedChartPanel.notifyObservers(DefaultEditorGroupedChartPanel.java:611)  
at org.gvsig.chart.swing.impl.editors.DefaultEditorGroupedChartPanel\$4.actionPerformed(DefaultEditorGroupedChartPanel.java:402)  
at javax.swing.AbstractButton.fireActionPerformed(Unknown Source)  
at javax.swing.AbstractButton\$Handler.actionPerformed(Unknown Source)  
at javax.swing.DefaultButtonModel.fireActionPerformed(Unknown Source)  
at javax.swing.DefaultButtonModel.setPressed(Unknown Source)  
at javax.swing.plaf.basic.BasicButtonListener.mouseReleased(Unknown Source)  
at java.awt.Component.processMouseEvent(Unknown Source)  
at javax.swing.JComponent.processMouseEvent(Unknown Source)  
at java.awt.Component.processEvent(Unknown Source)  
at java.awt.Container.processEvent(Unknown Source)  
at java.awt.Component.dispatchEventImpl(Unknown Source)  
at java.awt.Container.dispatchEventImpl(Unknown Source)  
at java.awt.Component.dispatchEvent(Unknown Source)  
at java.awt.LightweightDispatcher.retargetMouseEvent(Unknown Source)  
at java.awt.LightweightDispatcher.processMouseEvent(Unknown Source)  
at java.awt.LightweightDispatcher.dispatchEvent(Unknown Source)  
at java.awt.Container.dispatchEventImpl(Unknown Source)  
at java.awt.Component.dispatchEvent(Unknown Source)  
at java.awt.EventQueue.dispatchEvent(Unknown Source)  
at org.gvsig.andami.ui.AndamiEventQueue.dispatchEvent(AndamiEventQueue.java:67)  
at java.awt.EventDispatchThread.pumpOneEventForFilters(Unknown Source)  
at java.awt.EventDispatchThread.pumpEventsForFilter(Unknown Source)  
at java.awt.EventDispatchThread.pumpEventsForFilter(Unknown Source)  
at java.awt.Dialog\$1.run(Unknown Source)  
at java.awt.Dialog\$3.run(Unknown Source)  
at java.security.AccessController.doPrivileged(Native Method)  
at java.awt.Dialog.show(Unknown Source)  
at java.awt.Component.show(Unknown Source)  
at java.awt.Component.setVisible(Unknown Source)  
at java.awt.Window.setVisible(Unknown Source)  
at java.awt.Dialog.setVisible(Unknown Source)  
at org.gvsig.coreplugin.mdiManager.NewSkin.addJDialog(NewSkin.java:656)  
at org.gvsig.coreplugin.mdiManager.NewSkin.addWindow(NewSkin.java:301)  
at org.gvsig.app.project.documents.gui.ProjectWindow.propiedades(ProjectWindow.java:457)  
at org.gvsig.app.project.documents.gui.ProjectWindow.access\$500(ProjectWindow.java:83)

```

at org.gvsig.app.project.documents.gui.ProjectWindow$6.actionPerformed(ProjectWindow.java:719)
at javax.swing.AbstractButton.fireActionPerformed(Unknown Source)
at javax.swing.AbstractButton$Handler.actionPerformed(Unknown Source)
at javax.swing.DefaultButtonModel.fireActionPerformed(Unknown Source)
at javax.swing.DefaultButtonModel.setPressed(Unknown Source)
at javax.swing.plaf.basic.BasicButtonListener.mouseReleased(Unknown Source)
at java.awt.Component.processMouseEvent(Unknown Source)
at javax.swing.JComponent.processMouseEvent(Unknown Source)
at java.awt.Component.processEvent(Unknown Source)
at java.awt.Container.processEvent(Unknown Source)
at java.awt.Component.dispatchEventImpl(Unknown Source)
at java.awt.Container.dispatchEventImpl(Unknown Source)
at java.awt.Component.dispatchEvent(Unknown Source)
at java.awt.LightweightDispatcher.retargetMouseEvent(Unknown Source)
at java.awt.LightweightDispatcher.processMouseEvent(Unknown Source)
at java.awt.LightweightDispatcher.dispatchEvent(Unknown Source)
at java.awt.Container.dispatchEventImpl(Unknown Source)
at java.awt.Window.dispatchEventImpl(Unknown Source)
at java.awt.Component.dispatchEvent(Unknown Source)
at java.awt.EventQueue.dispatchEvent(Unknown Source)
at org.gvsig.andami.ui.AndamiEventQueue.dispatchEvent(AndamiEventQueue.java:67)
at java.awt.EventDispatchThread.pumpOneEventForFilters(Unknown Source)
at java.awt.EventDispatchThread.pumpEventsForFilter(Unknown Source)
at java.awt.EventDispatchThread.pumpEventsForHierarchy(Unknown Source)
at java.awt.EventDispatchThread.pumpEvents(Unknown Source)
at java.awt.EventDispatchThread.pumpEvents(Unknown Source)
at java.awt.EventDispatchThread.run(Unknown Source)
INFO [AWT-EventQueue-1] (OverlayChart.java:111) - Providers: GroupedCharts
INFO [AWT-EventQueue-1] (OverlayChart.java:111) - Providers: GroupedCharts
ERROR [AWT-EventQueue-1] (NotificationManager.java:107) - java.lang.NullPointerException
java.lang.NullPointerException
at org.gvsig.chart.impl.model.DefaultChartDataSet.biggerThan(DefaultChartDataSet.java:228)
at org.gvsig.chart.impl.model.DefaultChartDataSet.sortDataByField(DefaultChartDataSet.java:212)
at org.gvsig.chart.base.generic.AbstractXYChart.createCategoriesCollection(AbstractXYChart.java:158)
at org.gvsig.chart.base.generic.AbstractXYChart.updateChartService(AbstractXYChart.java:271)
at org.gvsig.chart.impl.AbstractChart.update(AbstractChart.java:309)
at org.gvsig.chart.swing.impl.editors.panels.DefaultChartServiceDataPanel.listSeries(DefaultChartServiceDataPanel.java:292)
at org.gvsig.chart.swing.impl.editors.panels.DefaultChartServiceDataPanel.refreshData(DefaultChartServiceDataPanel.java:259)
at org.gvsig.chart.swing.impl.editors.panels.DefaultChartServiceDataPanel$3.actionPerformed(DefaultChartServiceDataPanel.java:168)
at javax.swing.AbstractButton.fireActionPerformed(Unknown Source)
at javax.swing.AbstractButton$Handler.actionPerformed(Unknown Source)
at javax.swing.DefaultButtonModel.fireActionPerformed(Unknown Source)
at javax.swing.JToggleButton$ToggleButtonModel.setPressed(Unknown Source)
at javax.swing.plaf.basic.BasicButtonListener.mouseReleased(Unknown Source)
at com.jgoodies.looks.plastic.ActiveBasicButtonListener.mouseReleased(ActiveBasicButtonListener.java:69)
at java.awt.Component.processMouseEvent(Unknown Source)
at javax.swing.JComponent.processMouseEvent(Unknown Source)
at java.awt.Component.processEvent(Unknown Source)
at java.awt.Container.processEvent(Unknown Source)
at java.awt.Component.dispatchEventImpl(Unknown Source)
at java.awt.Container.dispatchEventImpl(Unknown Source)
at java.awt.Component.dispatchEvent(Unknown Source)
at java.awt.LightweightDispatcher.retargetMouseEvent(Unknown Source)

```

at java.awt.LightweightDispatcher.processMouseEvent(Unknown Source)  
at java.awt.LightweightDispatcher.dispatchEvent(Unknown Source)  
at java.awt.Container.dispatchEventImpl(Unknown Source)  
at java.awt.Window.dispatchEventImpl(Unknown Source)  
at java.awt.Component.dispatchEvent(Unknown Source)  
at java.awt.EventQueue.dispatchEvent(Unknown Source)  
at org.gvsig.andami.ui.AndamiEventQueue.dispatchEvent(AndamiEventQueue.java:67)  
at java.awt.EventDispatchThread.pumpOneEventForFilters(Unknown Source)  
at java.awt.EventDispatchThread.pumpEventsForFilter(Unknown Source)  
at java.awt.EventDispatchThread.pumpEventsForFilter(Unknown Source)  
at java.awt.Dialog\$1.run(Unknown Source)  
at java.awt.Dialog\$3.run(Unknown Source)  
at java.security.AccessController.doPrivileged(Native Method)  
at java.awt.Dialog.show(Unknown Source)  
at java.awt.Component.show(Unknown Source)  
at java.awt.Component.setVisible(Unknown Source)  
at java.awt.Window.setVisible(Unknown Source)  
at java.awt.Dialog.setVisible(Unknown Source)  
at org.gvsig.app.project.documents.chart.gui.DefaultEditorChartServiceJDialog.<init>(DefaultEditorChartServiceJDialog.java:66)  
at org.gvsig.app.project.documents.chart.gui.EditorChartServiceJDialog.showDialog(EditorChartServiceJDialog.java:11)  
at org.gvsig.app.project.documents.chart.gui.DefaultEditorGroupedChartIWindow.update(DefaultEditorGroupedChartIWindow.java:246)  
at org.gvsig.chart.swing.impl.editors.DefaultEditorGroupedChartPanel.notifyObservers(DefaultEditorGroupedChartPanel.java:611)  
at org.gvsig.chart.swing.impl.editors.DefaultEditorGroupedChartPanel\$4.actionPerformed(DefaultEditorGroupedChartPanel.java:402)  
at javax.swing.AbstractButton.fireActionPerformed(Unknown Source)  
at javax.swing.AbstractButton\$Handler.actionPerformed(Unknown Source)  
at javax.swing.DefaultButtonModel.fireActionPerformed(Unknown Source)  
at javax.swing.DefaultButtonModel.setPressed(Unknown Source)  
at javax.swing.plaf.basic.BasicButtonListener.mouseReleased(Unknown Source)  
at java.awt.Component.processMouseEvent(Unknown Source)  
at javax.swing.JComponent.processMouseEvent(Unknown Source)  
at java.awt.Component.processEvent(Unknown Source)  
at java.awt.Container.processEvent(Unknown Source)  
at java.awt.Component.dispatchEventImpl(Unknown Source)  
at java.awt.Container.dispatchEventImpl(Unknown Source)  
at java.awt.Component.dispatchEvent(Unknown Source)  
at java.awt.LightweightDispatcher.retargetMouseEvent(Unknown Source)  
at java.awt.LightweightDispatcher.processMouseEvent(Unknown Source)  
at java.awt.LightweightDispatcher.dispatchEvent(Unknown Source)  
at java.awt.Container.dispatchEventImpl(Unknown Source)  
at java.awt.Component.dispatchEvent(Unknown Source)  
at java.awt.EventQueue.dispatchEvent(Unknown Source)  
at org.gvsig.andami.ui.AndamiEventQueue.dispatchEvent(AndamiEventQueue.java:67)  
at java.awt.EventDispatchThread.pumpOneEventForFilters(Unknown Source)  
at java.awt.EventDispatchThread.pumpEventsForFilter(Unknown Source)  
at java.awt.EventDispatchThread.pumpEventsForFilter(Unknown Source)  
at java.awt.Dialog\$1.run(Unknown Source)  
at java.awt.Dialog\$3.run(Unknown Source)  
at java.security.AccessController.doPrivileged(Native Method)  
at java.awt.Dialog.show(Unknown Source)  
at java.awt.Component.show(Unknown Source)  
at java.awt.Component.setVisible(Unknown Source)  
at java.awt.Window.setVisible(Unknown Source)  
at java.awt.Dialog.setVisible(Unknown Source)

at org.gvsig.coreplugin.mdiManager.NewSkin.addJDialog(NewSkin.java:656)  
at org.gvsig.coreplugin.mdiManager.NewSkin.addWindow(NewSkin.java:301)  
at org.gvsig.app.project.documents.gui.ProjectWindow.propiedades(ProjectWindow.java:457)  
at org.gvsig.app.project.documents.gui.ProjectWindow.access\$500(ProjectWindow.java:83)  
at org.gvsig.app.project.documents.gui.ProjectWindow\$6.actionPerformed(ProjectWindow.java:719)  
at javax.swing.AbstractButton.fireActionPerformed(Unknown Source)  
at javax.swing.AbstractButton\$Handler.actionPerformed(Unknown Source)  
at javax.swing.DefaultButtonModel.fireActionPerformed(Unknown Source)  
at javax.swing.DefaultButtonModel.setPressed(Unknown Source)  
at javax.swing.plaf.basic.BasicButtonListener.mouseReleased(Unknown Source)  
at java.awt.Component.processMouseEvent(Unknown Source)  
at javax.swing.JComponent.processMouseEvent(Unknown Source)  
at java.awt.Component.processEvent(Unknown Source)  
at java.awt.Container.processEvent(Unknown Source)  
at java.awt.Component.dispatchEventImpl(Unknown Source)  
at java.awt.Container.dispatchEventImpl(Unknown Source)  
at java.awt.Component.dispatchEvent(Unknown Source)  
at java.awt.LightweightDispatcher.retargetMouseEvent(Unknown Source)  
at java.awt.LightweightDispatcher.processMouseEvent(Unknown Source)  
at java.awt.LightweightDispatcher.dispatchEvent(Unknown Source)  
at java.awt.Container.dispatchEventImpl(Unknown Source)  
at java.awt.Window.dispatchEventImpl(Unknown Source)  
at java.awt.Component.dispatchEvent(Unknown Source)  
at java.awt.EventQueue.dispatchEvent(Unknown Source)  
at org.gvsig.andami.ui.AndamiEventQueue.dispatchEvent(AndamiEventQueue.java:67)  
at java.awt.EventQueue.dispatchEventImpl(Unknown Source)  
at java.awt.EventQueue.dispatchEvent(Unknown Source)  
at java.awt.EventQueue.dispatchEvent(Unknown Source)  
at java.awt.EventQueue.dispatchEvent(Unknown Source)  
at java.awt.EventQueue.dispatchEvent(Unknown Source)  
at java.awt.EventQueue.run(Unknown Source)  
INFO [AWT-EventQueue-1] (OverlayChart.java:111) - Providers: GroupedCharts

**#2 - 04/04/2013 12:14 PM - José Badía**

- *Status changed from New to Fixed*

No se ha podido reproducir el fallo.

En caso de encontrar un caso de prueba, se reabrirá el ticket