

**Application: gvSIG desktop - gvSIG bugs #2710**  
**Carga de WFS no lee atributos alfanuméricos**

07/23/2014 11:06 AM - José Badía

<b>Status:</b> Closed	<b>% Done:</b> 0%
<b>Priority:</b> Normal	<b>Spent time:</b> 0.00 hour
<b>Assignee:</b> Joaquín del Cerro Murciano	
<b>Category:</b> WFS	
<b>Target version:</b> 2.1.0-2239-testing	
<b>Severity:</b> Major	<b>Add-on version:</b>
<b>gvSIG version:</b> 2.1.0	<b>Add-on build:</b>
<b>gvSIG build:</b>	<b>Add-on resolve version:</b>
<b>Operative System:</b>	<b>Add-on resolve build:</b>
<b>Keywords:</b>	<b>Proyecto:</b>
<b>Has patch:</b>	<b>Hito:</b>
<b>Add-on name:</b> Unknown	

**Description**

Error causado al obtener los tipos de la capa:

```
http://ideex.pdvsa.com/ideex/wfs?version=1.0.0&&REQUEST=DescribeFeatureType&SERVICE=WFS&TypeName=FAJPOLRG000
```

Ahi se muestran tipos Character (no reconocido), Real (no reconocido), Integer (reconocido) y el de la geometría (reconocido)

```
<schema targetNamespace="http://mapserver.gis.umn.edu/mapserver" elementFormDefault="qualified" version="0.1">
<import namespace="http://www.opengis.net/gml" schemaLocation="http://schemas.opengis.net/gml/2.1.2/feature.xsd"/>
<element name="FAJPOLRG000" type="ms:FAJPOLRG000Type" substitutionGroup="gml:_Feature"/>
<complexType name="FAJPOLRG000Type">
<complexContent>
<extension base="gml:AbstractFeatureType">
<sequence>
<element name="geometry" type="gml:PolygonPropertyType" minOccurs="0" maxOccurs="1"/>
<element name="in_bq_sb" type="Character"/>
<element name="nb_area" type="Character"/>
<element name="nu_area" type="Character"/>
<element name="cod_bloque" type="Integer"/>
<element name="nb_bloque" type="Character"/>
<element name="nb_empre" type="Character"/>
<element name="nu_areakm2" type="Real"/>
<element name="pk_faja" type="Integer"/>
</sequence>
</extension>
</complexContent>
</complexType>
</schema>
```

generando errores de este tipo:

INFO [AWT-EventQueue-1] (WFSFeatureFiller.java:124) - Feature attribute type not recognized: nb\_bloque  
java.lang.Exception: Feature attribute type not recognized: nb\_bloque  
at org.gvsig.fmap.dal.store.wfs.WFSFeatureFiller.fill(WFSFeatureFiller.java:124)  
at org.gvsig.fmap.dal.store.wfs.WFSFeatureFiller.fill(WFSFeatureFiller.java:181)  
at org.gvsig.fmap.dal.store.wfs.WFSFeatureFiller.fill(WFSFeatureFiller.java:171)  
at org.gvsig.fmap.dal.store.wfs.WFSFeatureFiller.fill(WFSFeatureFiller.java:147)  
at org.gvsig.fmap.dal.store.wfs.WFSFeatureFiller.fill(WFSFeatureFiller.java:101)  
at org.gvsig.fmap.dal.store.wfs.WFSFeatureFiller.fill(WFSFeatureFiller.java:90)  
at org.gvsig.fmap.dal.serverexplorer.wfs.WFSServerExplorer.getFeatureInfo(WFSServerExplorer.java:113)  
at org.gvsig.wfs.gui.panels.model.WFSSelectedFeatureManager.getFeatureInfo(WFSSelectedFeatureManager.java:84)  
at org.gvsig.wfs.gui.panels.WFSParamsPanel.refresh(WFSParamsPanel.java:782)  
at org.gvsig.wfs.gui.panels.WFSSelectFeaturePanel.refreshData(WFSSelectFeaturePanel.java:463)  
at org.gvsig.wfs.gui.panels.WFSSelectFeaturePanel\$2.valueChanged(WFSSelectFeaturePanel.java:303)  
at javax.swing.DefaultListSelectionModel.fireValueChanged(DefaultListSelectionModel.java:184)  
at javax.swing.DefaultListSelectionModel.fireValueChanged(DefaultListSelectionModel.java:154)  
at javax.swing.DefaultListSelectionModel.setValueAdjusting(DefaultListSelectionModel.java:685)  
at javax.swing.plaf.basic.BasicTableUI\$Handler.setValueAdjusting(BasicTableUI.java:950)  
at javax.swing.plaf.basic.BasicTableUI\$Handler.mouseReleased(BasicTableUI.java:1161)  
at java.awt.AWTEventMulticaster.mouseReleased(AWTEventMulticaster.java:289)  
at java.awt.AWTEventMulticaster.mouseReleased(AWTEventMulticaster.java:289)  
at java.awt.Component.processMouseEvent(Component.java:6389)  
at javax.swing.JComponent.processMouseEvent(JComponent.java:3268)  
at java.awt.Component.processEvent(Component.java:6154)  
at java.awt.Container.processEvent(Container.java:2045)  
at java.awt.Component.dispatchEventImpl(Component.java:4750)  
at java.awt.Container.dispatchEventImpl(Container.java:2103)  
at java.awt.Component.dispatchEvent(Component.java:4576)  
at java.awt.LightweightDispatcher.retargetMouseEvent(Container.java:4633)  
at java.awt.LightweightDispatcher.processMouseEvent(Container.java:4297)  
at java.awt.LightweightDispatcher.dispatchEvent(Container.java:4227)  
at java.awt.Container.dispatchEventImpl(Container.java:2089)  
at java.awt.Window.dispatchEventImpl(Window.java:2518)  
at java.awt.Component.dispatchEvent(Component.java:4576)  
at java.awt.EventQueue.dispatchEventImpl(EventQueue.java:672)  
at java.awt.EventQueue.access\$400(EventQueue.java:96)  
at java.awt.EventQueue\$2.run(EventQueue.java:631)  
at java.awt.EventQueue\$2.run(EventQueue.java:629)  
at java.security.AccessController.doPrivileged(Native Method)  
at java.security.AccessControlContext\$1.doIntersectionPrivilege(AccessControlContext.java:105)  
at java.security.AccessControlContext\$1.doIntersectionPrivilege(AccessControlContext.java:116)  
at java.awt.EventQueue\$3.run(EventQueue.java:645)  
at java.awt.EventQueue\$3.run(EventQueue.java:643)  
at java.security.AccessController.doPrivileged(Native Method)  
at java.security.AccessControlContext\$1.doIntersectionPrivilege(AccessControlContext.java:105)  
at java.awt.EventQueue.dispatchEvent(EventQueue.java:642)  
at org.gvsig.andami.ui.AndamiEventQueue.dispatchEvent(AndamiEventQueue.java:50)  
at java.awt.EventDispatchThread.pumpOneEventForFilters(EventDispatchThread.java:275)  
at java.awt.EventDispatchThread.pumpEventsForFilter(EventDispatchThread.java:200)  
at java.awt.EventDispatchThread.pumpEventsForFilter(EventDispatchThread.java:194)  
at java.awt.Dialog\$1.run(Dialog.java:1073)  
at java.awt.Dialog\$3.run(Dialog.java:1127)  
at java.security.AccessController.doPrivileged(Native Method)  
at java.awt.Dialog.show(Dialog.java:1125)

at java.awt.Component.show(Component.java:1672)  
at java.awt.Component.setVisible(Component.java:1624)  
at java.awt.Window.setVisible(Window.java:882)  
at java.awt.Dialog.setVisible(Dialog.java:1012)  
at org.gvsig.coreplugin.mdiManager.NewSkin.addJDialog(NewSkin.java:641)  
at org.gvsig.coreplugin.mdiManager.NewSkin.addWindow(NewSkin.java:286)  
at org.gvsig.app.extension.AddLayer.doAddLayers(AddLayer.java:225)  
at org.gvsig.app.extension.AddLayer.addLayers(AddLayer.java:218)  
at org.gvsig.app.extension.AddLayer.execute(AddLayer.java:144)  
at org.gvsig.andami.actioninfo.impl.DefaultActionInfo.execute(DefaultActionInfo.java:252)  
at org.gvsig.andami.ui.mdiFrame.MDIFrame.actionPerformed(MDIFrame.java:914)  
at javax.swing.AbstractButton.fireActionPerformed(AbstractButton.java:2012)  
at javax.swing.AbstractButton\$Handler.actionPerformed(AbstractButton.java:2335)  
at javax.swing.DefaultButtonModel.fireActionPerformed(DefaultButtonModel.java:404)  
at javax.swing.DefaultButtonModel.setPressed(DefaultButtonModel.java:259)  
at javax.swing.plaf.basic.BasicButtonListener.mouseReleased(BasicButtonListener.java:252)  
at java.awt.AWTEventMulticaster.mouseReleased(AWTEventMulticaster.java:289)  
at java.awt.AWTEventMulticaster.mouseReleased(AWTEventMulticaster.java:289)  
at java.awt.Component.processMouseEvent(Component.java:6389)  
at javax.swing.JComponent.processMouseEvent(JComponent.java:3268)  
at java.awt.Component.processEvent(Component.java:6154)  
at java.awt.Container.processEvent(Container.java:2045)  
at java.awt.Component.dispatchEventImpl(Component.java:4750)  
at java.awt.Container.dispatchEventImpl(Container.java:2103)  
at java.awt.Component.dispatchEvent(Component.java:4576)  
at java.awt.LightweightDispatcher.retargetMouseEvent(Container.java:4633)  
at java.awt.LightweightDispatcher.processMouseEvent(Container.java:4297)  
at java.awt.LightweightDispatcher.dispatchEvent(Container.java:4227)  
at java.awt.Container.dispatchEventImpl(Container.java:2089)  
at java.awt.Window.dispatchEventImpl(Window.java:2518)  
at java.awt.Component.dispatchEvent(Component.java:4576)  
at java.awt.EventQueue.dispatchEventImpl(EventQueue.java:672)  
at java.awt.EventQueue.access\$400(EventQueue.java:96)  
at java.awt.EventQueue\$2.run(EventQueue.java:631)  
at java.awt.EventQueue\$2.run(EventQueue.java:629)  
at java.security.AccessController.doPrivileged(Native Method)  
at java.security.AccessControlContext\$1.doIntersectionPrivilege(AccessControlContext.java:105)  
at java.security.AccessControlContext\$1.doIntersectionPrivilege(AccessControlContext.java:116)  
at java.awt.EventQueue\$3.run(EventQueue.java:645)  
at java.awt.EventQueue\$3.run(EventQueue.java:643)  
at java.security.AccessController.doPrivileged(Native Method)  
at java.security.AccessControlContext\$1.doIntersectionPrivilege(AccessControlContext.java:105)  
at java.awt.EventQueue.dispatchEvent(EventQueue.java:642)  
at org.gvsig.andami.ui.AndamiEventQueue.dispatchEvent(AndamiEventQueue.java:50)  
at java.awt.EventDispatchThread.pumpOneEventForFilters(EventDispatchThread.java:275)  
at java.awt.EventDispatchThread.pumpEventsForFilter(EventDispatchThread.java:200)  
at java.awt.EventDispatchThread.pumpEventsForHierarchy(EventDispatchThread.java:190)  
at java.awt.EventDispatchThread.pumpEvents(EventDispatchThread.java:185)  
at java.awt.EventDispatchThread.pumpEvents(EventDispatchThread.java:177)  
at java.awt.EventDispatchThread.run(EventDispatchThread.java:138)

---

## History

---

### #1 - 07/23/2014 02:25 PM - Joaquín del Cerro Murciano

Al parecer es un problema de mapserver que en versiones anteriores a la 6.4.1 no mapeaba adecuadamente los tipos internos suyos al tipo correcto de GML.

<https://github.com/mapserver/docs/issues/65>

De todos modos voy a ver si puedo añadir los tipos Character y Real como alias de string y double.

### #2 - 07/25/2014 10:11 AM - Joaquín del Cerro Murciano

- Status changed from New to Fixed

### #3 - 07/27/2014 09:42 PM - Joaquín del Cerro Murciano

- Target version changed from 2.1.0-2259-rc3 to 2.1.0-2239-testing

### #4 - 07/29/2014 06:11 AM - Álvaro Anguix

- Status changed from Fixed to Closed