

# Application: gvSIG desktop - gvSIG feature requests #3474

## Añadir método para obtener el componente de una ventana

05/12/2015 11:03 AM - Lluís Marqués

<b>Status:</b>	Closed	<b>% Done:</b>	100%
<b>Priority:</b>	Immediate	<b>Spent time:</b>	0.00 hour
<b>Assignee:</b>	Francisco Díaz Carsí		
<b>Category:</b>			
<b>Target version:</b>	2.2.0-2310		
<b>gvSIG version:</b>	2.2.0	<b>Add-on resolve version:</b>	
<b>Keywords:</b>		<b>Add-on resolve build:</b>	
<b>Has patch:</b>		<b>Proyecto:</b>	
<b>Add-on name:</b>	Unknown	<b>Hito:</b>	
<b>Add-on version:</b>			

### Description

Añadir un método a la clase `org.gvsig.andami.ui.ToolsWindowManager.Window` que permita obtener el componente de la ventana. Bastaría con añadir un método `getContents()` que devuelva el componente `contents` de la clase.

### Associated revisions

#### Revision 42187 - 05/13/2015 11:24 AM - Francisco Díaz Carsí

fixes #3474 Añadido método `getContents` a la clase `Window`

### History

#### #1 - 05/12/2015 01:05 PM - Joaquín del Cerro Murciano

- Target version changed from 2.3.0-2400 (rev. `org.gvsig.desktop-2.0.102`) to 2.2.0-2310

#### #2 - 05/13/2015 11:24 AM - Francisco Díaz Carsí

- % Done changed from 0 to 100

- Status changed from New to Fixed

Applied in changeset `svn-gvsig-desktop|r42187`.

#### #3 - 05/20/2015 09:21 AM - Álvaro Anguix

- Status changed from Fixed to Closed