Application: gvSIG desktop - gvSIG bugs #4771 GetFeature request on each zoom or identify

12/11/2017 08:51 PM - Antonio Falciano

Status: New % Done: 0% **Priority:** Spent time: 0.00 hour Normal Assignee: **WFS** Category: Target version: Severity: Major Add-on version: gvSIG version: 2.4.0 Add-on build: gvSIG build: 2843 Add-on resolve version: **Operative System:** Add-on resolve build: Proyecto: Keywords: Has patch: Hito: Add-on name: Unknown

Description

A GetFeature request is made each time the user zooms or identifies some features. This behaviour is highly inefficient and produces a great waste of time. It should be only one.

How to reproduce the issue:

- open "Add layer", WFS tab;
- connect to http://demo.mapserver.org/cgi-bin/wfs? and add the "World continents" layer to a view;
- for instance, zoom on your country;
- finally, check in the gvSIG temporary folder (e.g. C:\Users\Antonio\AppData\Local\Temp\tmp-gvsig\downloader): you will find several gml copies of the same layer (wfs_getFeature-something.gml).

History

#1 - 12/20/2017 09:50 AM - Joaquín del Cerro Murciano

- Target version changed from 2.4.0-2850-final (rev. org.gvsig.desktop-2.0.220) to 2.5.1-3044

#2 - 01/10/2018 05:00 PM - Antonio Falciano

The issue affects further user actions, such as:

- opening the attribute table associated to a WFS layer;
- hiding or showing a layer in the ToC;

- ...

The result is a great waste of time from the user perspective, so this issue is nearly a blocker one!

#3 - 04/21/2020 09:16 AM - Álvaro Anguix

- Target version deleted (2.5.1-3044)

05/02/2024 1/1